



**Contest**<sup>®</sup>  
COMMERCIAL LIGHTING



**Contest  
Commercial Lighting**

La gamme d'éclairages intérieurs conçue pour  
révéler et structurer les volumes

CATALOGUE 2022

#1

Summary

<b>230 V</b> .....	2
Bars .....	2
<b>24 V</b> .....	5
Modules .....	5
Platinums .....	11
Power supplies .....	14
Spots .....	16
<b>Accessories</b> .....	19
<b>Housings</b> .....	26

## LUXYMOD PRODUCTS

We design modular and freestanding lighting fixtures to beautify your spaces. A range dedicated to the improvement of your spaces. We offer two types of ranges:

- The modular series in 24V with external power supply
- The 230V bar series

All our products are equipped with LEDs. We use SMD5050 LEDs for spotlights and SMD2835 for bars. The design of Luxymod is sleek and modern. It will blend into all your spaces, the only limit is your imagination!





## 230 V

Bars and accessories

# **BARS**



## HB120P

**Operates only in 230 V**  
Honeycomb module 230 V of 26 W  
Length: 1145 mm  
Delivered with suspension kit  
Can be hung or fixed (with Fix40 or Fix100)

Length: 120 cm  
Power supply: 230 V  
Power: 26 W  
Luminous flux: 1100 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11211  
**Price:** 269,00 € inc. VAT  
**Categories:** [230 V](#), [Bars](#)



## HB60P

**Operates only in 230 V**  
Honeycomb module 230 V of 15 W  
Length: 623 mm  
Delivered with suspension kit  
Can be hung or fixed (with Fix40 or Fix100)

Length: 60 cm  
Power supply: 230 V  
Power: 15 W  
Luminous flux: 700 lm  
Colour temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11210  
**Price:** 199,00 € inc. VAT  
**Categories:** [230 V](#), [Bars](#)



## HB40P

**Operates only in 230 V**  
Honeycomb module 230 V, 9 W  
Length: 361 mm  
Delivered with suspension kit  
Can be suspended or fixed (with Fix40 or Fix100)

Length: 40 cm  
Power supply: 230 V  
Power: 9 W  
Luminous flux: 400 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11209  
**Price:** 179,00 € inc. VAT  
**Categories:** [230 V](#), [Bars](#)







**24 V**

Modules and accessories

# MODULES



## HBAR120D

D-shaped honeycomb bar 26 W  
Length: 1145 mm

Length: 120 cm  
Power supply: 24 V  
Power: 26 W  
Luminous flux: 1100 lm  
Colour temperature: 4000 K  
Opening: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11192

**Price:** 189,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)



## HBAR60D

15 W D-shaped honeycomb bar  
Length: 623 mm

Length: 623 mm  
Power supply: 24 V  
Power: 15 W  
Luminous flux: 700 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11191

**Price:** 129,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)



## HBAR40D

9 W D-shaped honeycomb bar  
Length: 361 mm

Length: 361 mm  
Power supply: 24 V  
Power: 9 W  
Luminous flux: 400 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11190

**Price:** 99,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)







## HBAR20D

5 W D-shaped honeycomb bar  
Length: 195 mm

Length: 195 mm  
Power supply: 24 V  
Power: 5 W  
Luminous flux: 240 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11189

**Price:** 45,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)



## HBAR120Z

26 W Z-Bar Honeycomb Bar  
Length: 1165 mm

Length: 1165 mm  
Power supply: 24 V  
Power: 26 W  
Luminous flux: 1100 lm  
Color temperature: 4000 K  
Opening : 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11187

**Price:** 189,00 € inc. VAT

**Category:** [Modules](#)



## HBAR60Z

15 W Z-bar honeycomb bar  
Length: 643 mm

Length: 643 mm  
Power supply: 24 V  
Power: 15 W  
Luminous flux: 700 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11186

**Price:** 129,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)





## HBAR40Z

9 W Z-bar honeycomb bar  
Length: 382 mm

Length: 382 mm  
Power supply: 24 V  
Power: 9 W  
Luminous flux: 400 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11185

**Price:** 99,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)



## HBAR20Z

Honeycomb Z-module of 5 W  
Length: 195 mm

Length: 195 mm  
Power supply: 24 V  
Power: 5 W  
Luminous flux: 240 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI : Ra ≥ 90

[Lire la suite](#)

**SKU:** H11183

**Price:** 45,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)



## HBAR20ZC

Honeycomb Z-module of 5 W  
Length: 195 mm  
Cable length: ± 2 meters

Length: 195 mm  
Cable length: ± 2 meters  
Power supply: 24 V  
Power: 5 W  
Luminous flux: 240 lm  
Color temperature: 4000 K  
Beam angle: 85°  
CRI : Ra ≥ 90


[Lire la suite](#)

**SKU:** H11184

**Price:** 49,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)





## FLBAR20

5 W Z-flood module  
Length: 195 mm

Length: 195 mm  
Power supply: 24 V  
Power: 5 W  
Luminous flux: 240 lm  
Color temperature: 4000 K  
Beam angle: 120°  
CRI : Ra  $\geq$  90

[Lire la suite](#)

**SKU:** H11182

**Price:** 39,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)



## BLZ20

5 W Z-blaze module  
Length: 195 mm

Length: 195 mm  
Power supply: 24 V  
Power: 5 W  
Luminous flux: 350 lm  
Color temperature: 4000 K  
Opening : 15°  
CRI: Ra  $\geq$  90

[Lire la suite](#)


**SKU:** H11188

**Price:** 55,00 € inc. VAT

**Categories:** [24 V](#), [Modules](#)



# PLATINUMS



### B1


Finishing plate

[Lire la suite](#)

SKU: H11193

Price: 10,00 € inc. VAT

Categories: [24 V](#), [Platinums](#)



### B1S


Single power supply board with 2.5m cable

[Lire la suite](#)

SKU: H11196

Price: 16,00 € inc. VAT

Categories: [24 V](#), [Platinums](#)



### B3

Triple Distribution Platinum


[Lire la suite](#)

SKU: H11194

Price: 25,00 € inc. VAT

Categories: [24 V](#), [Platinums](#)





### B3S


Triple power supply board with 2.5m cable

[Lire la suite](#)

SKU: H11197

Price: 29,00 € inc. VAT

Categories: [24 V](#), [Platinums](#)



### B4


Quadruple distribution board

[Lire la suite](#)

SKU: H11195

Price: 29,00 € inc. VAT

Categories: [24 V](#), [Platinums](#)



### B4S

Quadruple power supply board + 2.5m cable

[Lire la suite](#)

SKU: H11198

Price: 35,00 € inc. VAT

Categories: [24 V](#), [Platinums](#)



# **POWER SUPPLIES**





## P150W

Power supply 150W - 24V

[Lire la suite](#)

SKU: H11204

Price: 119,00 € inc. VAT

Categories: [24 V](#), [Power supplies](#)



## P100W

Power supply 100W - 24V

[Lire la suite](#)

SKU: H11203

Price: 79,00 € inc. VAT

Categories: [24 V](#), [Power supplies](#)



## P60W

Power supply 60W - 24V

[Lire la suite](#)

SKU: H11202

Price: 45,00 € inc. VAT

Categories: [24 V](#), [Power supplies](#)



# SPOTS



## PEND1

3 W suspended spot module Spot length: 356 mm  
Maximum cable length: 900 mm

Length: 356 mm  
Power supply: 24 V  
Power: 3 W  
Luminous flux: 160 lm  
Color temperature: 4000 K  
Beam angle: 20°  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11181

**Price:** 69,00 € inc. VAT

**Categories:** [24 V](#), [Spots](#)



## S1

3 W spot module

Power supply: 24 V  
Power: 3 W  
Luminous flux: 160 lm  
Color temperature: 4000 K  
Beam angle: 35°.  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11177

**Price:** 29,00 € inc. VAT

**Categories:** [24 V](#), [Spots](#)



## S1Z

3 W Z spot module

Power supply: 24 V  
Power: 3 W  
Luminous flux: 160 lm  
Color temperature: 4000 K  
Beam angle: 35°.  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11178

**Price:** 35,00 € inc. VAT

**Categories:** [24 V](#), [Spots](#)





## SW1

3 W adjustable spot module

Power supply: 24 V  
Power: 3 W  
Luminous flux: 160 lm  
Color temperature: 4000 K  
Beam angle: 20°.  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11179

**Price:** 39,00 € inc. VAT

**Categories:** [24 V](#), [Spots](#)



## SW1Z

3 W Z-swivel spot module

Power supply: 24 V  
Power: 3 W  
Luminous flux: 160 lm  
Color temperature: 4000 K  
Beam angle: 20°.  
CRI: Ra ≥ 90

[Lire la suite](#)

**SKU:** H11180

**Price:** 45,00 € inc. VAT

**Categories:** [24 V](#), [Spots](#)



# **ACCESSORIES**



## FIX100

Flat spacer 100 mm

[Lire la suite](#)

**SKU:** H11213

**Price:** 35,00 € inc. VAT

**Categories:** [230 V](#), [Accessories](#)



## FIX40

Flat spacer 40 mm

[Lire la suite](#)

**SKU:** H11212

**Price:** 18,00 € inc. VAT

**Categories:** [230 V](#), [Accessories](#)



## FIX1

Wall mounting bracket

Fix1 can only be used with spotlights following :

- S1Z
- SW1Z
- Pend1

[Lire la suite](#)

**SKU:** H11205

**Price:** 4,00 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)





## FIX2

Ceiling mounting bracket

Fix2 can only be used with spot projectors following :

- S1Z
- SW1Z
- Pend1

[Lire la suite](#)

**SKU:** H11206

**Price:** 4,00 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)



## FIX3

Surface mount fastener

[Lire la suite](#)

**SKU:** H11207

**Price:** 6,00 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)



## FIX4

Adjustable suspension kit. 2 meters maximum

The maximum weight supported by the end caps of the lines is 5 kg.

The maximum angle you can give to a line is 45°.

[Lire la suite](#)

**SKU:** H11208

**Price:** 5,00 € inc. VAT

**Categories:** [230 V](#), [24 V](#), [Accessories](#)







## FIX5

Adjustable suspension kit with clips. 2 meters maximum

Fix5 hangers can only be used with the following projectors:

HBAR40Z  
HBAR60Z  
HBAR120Z  
HBAR40D  
HBAR60D  
HBAR120D

The maximum weight supported by the end caps of the lines is 5 kg.

The maximum angle you can give to a line is 45°.

[Lire la suite](#)

**SKU:** H11214

**Price:** 5,00 € inc. VAT

**Categories:** [230 V](#), [24 V](#), [Accessories](#)



## FIX6

Cable clamp for M6 screws - 10 pieces

[Lire la suite](#)

**SKU:** H11215

**Price:** 22,00 € inc. VAT

**Categories:** [230 V](#), [24 V](#), [Accessories](#)



## FIX7

Hanging screw for FIX3 - 10 pieces

[Lire la suite](#)

**SKU:** H11216

**Price:** 0,50 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)





### FIX8

Projector Screw M3 x 15mm - 10 pcs + Key

[Lire la suite](#)

**SKU:** H11217

**Price:** 1,50 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)



### FIX9

Cable clamp - 10 pieces

[Lire la suite](#)

**SKU:** H11218

**Price:** 9,00 € inc. VAT

**Categories:** [230 V](#), [24 V](#), [Accessories](#)



### FIX10

Locking screws for bar connections (10 pieces)

[Lire la suite](#)

**SKU:** H11220

**Price:** 0,50 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)





## FIX11

Fixing clip for false ceiling M6x10

Fix11 makes it possible to create hanging points without dismantling the suspended ceiling. Used with the Fix6 cable clamp, it allows the connection of Fix4 or Fix5 hangers.

[Lire la suite](#)

**SKU:** H11222

**Price:** 6,00 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)



## FIX12

M3 screw for Fix1 and Fix2

[Lire la suite](#)

**SKU:** H11226

**Price:** 2,00 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)



## FIX13

Mica isolation washer. Allows to isolate a target group from a powered group.

If your installation contains lengths that exceed 150 W, a power supply must be added. To do so, you must insulate each section with a mica washer (Fix13).

[Lire la suite](#)

**SKU:** H11227

**Price:** 2,00 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)





## TOOL

Tool kit

[Lire la suite](#)

**SKU:** H11221

**Price:** 2,00 € inc. VAT

**Categories:** [24 V](#), [Accessories](#)



# HOUSINGS



## BOXL

Case for large format power supply  
Compatible with P60W, P100W, P150W

The BoxL box is used both to conceal the power supply and to suspend the projectors.  
The box is delivered with 2 meter suspension cables.  
Power supply not included.  
Compatible with P60W, P100W, P150W

[Lire la suite](#)

**SKU:** H11200

**Price:** 55,00 € inc. VAT

**Categories:** [24 V](#), [Housings](#)



## BOXM

Housing for small format power supply  
Compatible with P60W, P100W

The BoxM box is used both to conceal the power supply and to suspend the projectors.  
The box is delivered with 2 meter suspension cables.  
Power supply not included.  
Compatible with P60W, P100W

[Lire la suite](#)

**SKU:** H11199

**Price:** 49,00 € inc. VAT

**Categories:** [24 V](#), [Housings](#)



## BOXR

Round housing for power supply  
Compatible with P60W, P100W, P150W

The BoxR box is used both to conceal the power supply and to suspend the projectors.  
The box is delivered with 2 meter suspension cables.  
Power supply not included.  
Compatible with P60W, P100W, P150W

[Lire la suite](#)

**SKU:** H11201

**Price:** 59,00 € inc. VAT

**Categories:** [24 V](#), [Housings](#)





## BOXS

Round housing for power cable

The box is delivered with a 1 meter suspension cable.

[Lire la suite](#)

**SKU:** H11219

**Price:** 29,00 € inc. VAT

**Categories:** [230 V](#), [24 V](#), [Housings](#)





## INDEX

### **B**

B1 12  
B1S 12  
B3 12  
B3S 13  
B4 13  
B4S 13  
BLZ20 10  
BoxL 27  
BoxM 27  
BoxR 27  
BoxS 28

### **F**

Fix1 20  
Fix10 23  
Fix100 20  
Fix11 24  
Fix12 24  
Fix13 24  
Fix2 21  
Fix3 21  
Fix4 21  
Fix40 20  
Fix5 22  
Fix6 22  
Fix7 22  
Fix8 23  
Fix9 23  
FLBAR20 10

### **H**

HB120P 4  
HB40P 4  
HB60P 4  
HBAR120D 7  
HBAR120Z 8  
HBAR20D 8  
HBAR20Z 9  
HBAR20ZC 9  
HBAR40D 7  
HBAR40Z 9  
HBAR60D 7  
HBAR60Z 8

### **P**

P100W 15  
P150W 15  
P60W 15  
Pend1 17

**S**

S1 17

S1Z 17

SW1 18

SW1Z 18

**T**

Tool 25



COMMERCIAL-LIGHTING.EU

LuxyMod

La gamme d'éclairages intérieurs conçue pour révéler et structurer les volumes.

Une gamme dédiée pour les bureaux, les bars, les restaurants, les concessions automobiles, etc.

